


EUROPE



137-EUROPEAN PLUG 2-POLE STRAIGHT



Standard: EN 50075


Cable types:

H03VVH2-F	2X0.5, 2X0.75
H05VVH2-F	2X0.75
H03VV-F	2X0.5, 2X0.75
H05VV-F	2X0.75, 2X1
H05RR-F	2X0.75, 2X1
H05RN-F	2X0.75, 2X1
H03VVH2H8-F	2X0.75
H03VVH8-F	2X0.75
H05VVH8-F	2X0.75

CURRENT: 2.5A

VOLTAGE: 250V

157-EUROPEAN PLUG 2-POLE STRAIGHT



Standard: EN 50075


Cable types:

H03VVH2-F	2X0.5, 2X0.75
H03VV-F	2X0.5, 2X0.75
H03VVH8-F	2X0.75
H03VVH2H8-F	2X0.75

CURRENT: 2.5A

VOLTAGE: 250V

152-EUROPEAN PLUG 2-POLE STRAIGHT



Standard: DIN VDE 0620-1

(standard sheet: DIN 49406-R)


Cable types:

H03VVH2-F	2X0.75
H05VVH2-F	2X0.75
H03VV-F	2X0.75
H05VV-F	2X0.75, 2X1, 2X1.5
H05RR-F	2X0.75, 2X1, 2X1.5
H05RN-F	2X0.75, 2X1
H07RN-F	2X1.0, 2X1.5
H05BQ-F	2X0.75, 2X1
H07BQ-F	2X1, 2X1.5

CURRENT: 16A

VOLTAGE: 250V

790460-EUROPEAN PLUG 2-POLE STRAIGHT



Standard: DIN VDE 0620-1 (standard

sheet: DIN 49406-R)


Cable types:

H03VVH2-F	2X0.5, 2X0.75
H05VVH2-F	2X0.75, 2X1
H05VV-F	2X0.75, 2X1
H05V2V2-F	2X0.75, 2X1
H05V2V2H2-F	2X0.75, 2X1

CURRENT: 16A

VOLTAGE: 250V

652-EUROPEAN PLUG 2-POLE STRAIGHT



Standard: DIN VDE 0620-1 (standard sheet: DIN 49406-R)

Cable types:

H05VV-F 2X0.75, 2X1, 2X1.5

H05RR-F 2X0.75, 2X1, 2X1.5


H05RN-F 2X0.75, 2X1

H07RN-F 2X1, 2X1.5

CURRENT: 16A

VOLTAGE: 250V

552-EUROPEAN PLUG 2-POLE ANGLED



Standard: DIN VDE 0620-1 (standard sheet: DIN 49406-R)

Cable types:

H03VVH2-F 2X0.5, 2X0.75

H03VV-F 2X0.5, 2X0.75

H05VVH2-F 2X0.75, 2X1

H05VV-F 2X0.75, 2X1


H05RR-F 2X0.75, 2X1

H05RN-F 2X0.75, 2X1

CURRENT: 16A

VOLTAGE: 250V

258-EUROPEAN PLUG 2-POLE+E STRAIGHT



Standard: DIN VDE 0620-1 (standard sheet: DIN 49441-R2)

Cable types:

H03VV-F 3G0.75

H03V2V2-F 3G0.75

H03V4V4-F 3G0.75, 3G1

HO3RT-H 3G0.75, 3G1

H05VV-F 3G0.75, 3G1, 3G1.5

H05V2V2-F 3G0.75, 3G1, 3G1.5

H05RR-F 3G0.75, 3G1, 3G1.5


H05RN-F 3G0.75, 3G1

H07RN-F 3G1, 3G1.5

CURRENT: 16A

VOLTAGE: 250V

232-EUROPEAN PLUG 2-POLE+E ANGLED



Standard: DIN VDE 0620-1 (standard sheet: DIN 49441-R2)

Cable types:

H03VV-F 3G0.5, 3G0.75

H03V2V2-F 3G0.5, 3G0.75

HO3RT-H 3G0.75, 3G1

H05VV-F 3G0.75, 3G1, 3G1.5

H05V2V2-F 3G0.75, 3G1, 3G1.5

H05RR-F 3G0.75, 3G1, 3G1.5

H05RN-F 3G0.75, 3G1

H05BB-F 3G0.75, 3G1, 3G1.5


H07RN-F 3G1, 3G1.5

H07BB-F 3G1, 3G1.5

CURRENT: 16A

VOLTAGE: 250V

422U-EUROPEAN PLUG 2-POLE+E ANGLED



Standard: DIN VDE 0620-1 (standard sheet: DIN 49441-R2)


Cable types:

H03VV-F	3G0.75
H05VV-F	3G0.75, 3G1, 3G1.5
H05V2V2-F	3G0.75, 3G1, 3G1.5

CURRENT: 16A

VOLTAGE: 250V

352-EUROPEAN PLUG 2-POLE STRAIGHT



Standard: DIN VDE 0620-1 (standard sheet: DIN 49406-R-RA)


Cable types:

H05VV-F	2X0.75, 2X1, 2X1.5
H05RR-F	2X0.75, 2X1, 2X1.5
H05RN-F	2X0.75, 2X1
H07RN-F	2X1, 2X1.5

CURRENT: 16A

VOLTAGE: 250V

358-EUROPEAN PLUG 2-POLE+E STRAIGHT



Standard: DIN VDE 0620-1 (standard sheet: DIN 49441-R2-2-AR2)


Cable types:

H03RT-H	3G0.75, 3G1
H05VV-F	3G0.75, 3G1, 3G1.5
H05V2V2-F	3G0.75
H05RR-F	3G0.75, 3G1, 3G1.5
H05RN-F	3G0.75, 3G1
H05BQ-F	3G0.75, 3G1
H07RN-F	3G1, 3G1.5
H07BQ-F	3G1, 3G1.5

CURRENT: 16A

VOLTAGE: 250V

542-ITALIAN PLUG 2-POLE STRAIGHT



Standard: CEI 23-50(S10)


Cable types:

H03VV-F	2X0.75
H03V2V2-F	2X0.75
H03VVH2-F	2X0.75
H03V2V2H2-F	2X0.75
H05VV-F	2X0.75, 2X1
H05V2V2-F	2X0.75, 2X1, 2X1.5
H05VVH2-F	2X0.75
H05V2V2H2-F	2X0.75, 2X1
H05RR-F	2X0.75, 2X1
H05RN-F	2X0.75, 2X1
H07RN-F	2X1

CURRENT: 10A

VOLTAGE: 250V

543-ITALIAN PLUG 2-POLE+E STRAIGHT




Standard: CEI 23-50(S11)
Cable types:

H03VV-F	3G0.75
H03V2V2-F	3G0.75
H03V4V4-H	3G0.75, 3G1
H03RT-H	3G0.75, 3G1
H05VV-F	3G0.75, 3G1, 3G1.5
H05V2V2-F	3G0.75, 3G1, 3G1.5
H05RR-F	3G0.75, 3G1
H05RN-F	3G0.75, 3G1
H07BB-F	3G1, 3G1.5
H07BN4-F	3G1, 3G1.5

CURRENT: 10A
VOLTAGE: 250V

140-ITALIAN PLUG 2-POLE STRAIGHT




Standard: CEI 23-16(S16)
Cable types:

H05VV-F	2X1, 2X1.5
H05RR-F	2X1, 2X1.5
H05RN-F	2X1
H07RN-F	2X1, 2X1.5

CURRENT: 16A
VOLTAGE: 250V

141-ITALIAN PLUG 2-POLE+E STRAIGHT




Standard: CEI 23-16(S17)
Cable types:

H05VV-F	3G1, 3G1.5, 3G2.5
H05RR-F	3G1, 3G1.5
H05RN-F	3G1
H07RN-F	3G1, 3G1.5

CURRENT: 16A
VOLTAGE: 250V

101-SWISS PLUG 2-POLE STRAIGHT




Standard: SEV 1011, IEC 60884-1 (Type:11)
Cable types:

H03VH2-F	2X0.75
H05VV-F	2X0.75, 2X1, 2X1.5
H05RR-F	2X0.75, 2X1, 2X1.5
H05RN-F	2X0.75, 2X1
H05BQ-F	2X1
H07RN-F	2X1, 2X1.5
H07BQ-F	2X1, 2X1.5

CURRENT: 10A
VOLTAGE: 250V

701-SWISS PLUG 2-POLE+E STRAIGHT



Standard: SEV 1011, IEC 60884-1
(Type: 12)


Cable types:

H03VV-F	3G0.75
H05VV-F	3G0.75, 3G1, 3G1.5
H05V2V2-F	3G0.75
H05RR-F	3G0.75, 3G1, 3G1.5
H05RN-F	3G.075, 3G1
H07RN-F	3G1, 3G1.5

CURRENT: 10A

VOLTAGE: 250V

186-DANISH PLUG 2-POLE+E STRAIGHT



Standard: DS/IEC
60884-1(sheet:DK2-1a)


Cable types:

H03VV-F	3G0.75
H05VV-F	3G0.75, 3G1, 3G1.5
H05RR-F	3G0.75, 3G1, 3G1.5
H05RN-F	3G0.75, 3G1
H07RN-F	3G1, 3G1.5
H03RT-H	3G0.75, 3G1

CURRENT: 10A

VOLTAGE: 250V

187-DANISH PLUG 2-POLE+E STRAIGHT



Standard: DS/IEC 60884-1(sheet:DK2-5a)


Cable types:

H05VV-F	3G0.75, 3G1
---------	-------------

CURRENT: 10A

VOLTAGE: 250V

2343-BRITISH PLUG 2-POLE+E ANGLED



Standard: BS 1363-1


Cable types:

H03VV-F	2X0.75, 3G0.75
H03V2V2-F	3G0.75
H03V2H2-F	2X0.5, 2X0.75
H03RT-H	3G0.75, 3G1
H05VV-F	2X0.75, 2X1, 2X1.5, 3G0.75, 3G1, 3G1.5
H05V2V2-F	2X0.75, 2X1, 3G0.75, 3G1, 3G1.5
H05V2H2-F	2X0.75
H05V2V2H2-F	2X0.75, 2X1
H05RR-F	2X0.75, 2X1, 3G0.75, 3G1, 3G1.5
H05RN-F	2X0.75, 2X1, 3G0.75, 3G1
H05BQ-F	2X0.75, 2X1, 3G0.75, 3G1
H07RN-F	2X1, 2X1.5, 3G1, 3G1.5
H07BQ-F	2X1, 2X1.5, 3G1, 3G1.5

CURRENT: 13A

VOLTAGE: 250V

2344-BRITISH PLUG 2-POLE+E ANGLED



Standard: BS 1363-1


Cable types:

H03VV-F	2X0.75, 3G0.75
H03V2V2-F	2X0.75, 3G0.75
H03VVH2-F	2X0.5, 2X0.75
H03V2V2H2-F	2X0.75
H05VV-F	2X0.75, 2X1, 2X1.5, 3G0.75, 3G1, 3G1.5
H05V2V2-F	2X0.75, 2X1, 2X1.5, 3G0.75, 3G1, 3G1.5
H05VVH2-F	2X0.75
H05V2V2H2-F	2X0.75, 2X1
H05RR-F	2X0.75
H05RN-F	2X0.75, 2X1
H07RN-F	2X1

CURRENT: 13A

VOLTAGE: 250V

M.UK-BRITISH PLUG 2-POLE+E ANGLED



Standard: BS 1363-1


Cable types:

H03VV-F	3G0.75
H03VVH2-F	2X0.75
H05VV-F	2X0.75, 2X1, 3G0.75, 3G1, 3G1.5
H05V2V2-F	3G1, 3G1.5
H05VVH2-F	2X0.75
H05RR-F	2X0.75, 2X1, 3G0.75, 3G1
H05RN-F	2X0.75, 2X1, 3G0.75, 3G1
H05BB-F	3G1
H07RN-F	2X1

CURRENT: 13A

VOLTAGE: 250V

2345-BRITISH REWIRABLE PLUG 2-POLE+E ANGLED



Standard: BS 1363-1

Cable types:

H03VV-F	2X0.75, 3G0.75
H03VVH2-F	2X0.75
H05VVH2-F	2X0.75
H05VV-F	2X0.75, 2X1, 2X1.5, 3G0.75, 3G1, 3G1.5
H05RR-F	2X0.75, 2X1, 2X1.5, 3G0.75, 3G1, 3G1.5
H05RN-F	2X0.75, 2X1, 2X1.5, 3G0.75, 3G1

CURRENT: 13A

VOLTAGE: 250V